**★** 醫y Äir



仅限货机 CAO





#### 中国认可 检验 INSPECTION CNAS IB0071 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

## 危险品

样品名称: 锂离子电池组 HC-149 24V 10Ah 240Wh

Sample name: Li-ion Battery Pack HC-149 24V 10Ah 240Wh

委托单位: Supplied Hangeburg Naw En

Jinhua Hengchuang New Energy Co., LTD

生产单位: 金华市恒创新能源有限公司

Jinhua Hengchuang New Energy Co., LTD





上海化工院检测有限公司

SHANGHALINSTITUTE OF CHEMICAL INDUSTRY TESTING CO. LTD.





### 声明

### Statement

- 1. 鉴定书无上海化工院检测有限公司检验检测专用章、二维码无效。 The certification is invalid if it is not affixed the dedicated inspection and testing seal of Shanghai Institute of Chemical Industry Testing Co., Ltd.and QR Code on it.
- 2. 鉴定书复印件无效。

Copies of the certification are invalid.

3. 鉴定书无主检、审核、批准签字无效。

The certification is invalid without the signatures of appraiser, checker and approver.

4. 鉴定书涂改无效。

The certification is invalid if it is forged or altered.

5. 本鉴定书不涉及样品的成分鉴别,委托单位必须保证提供给本公司的样品与实际的出运货物相一致且相关成分等资料真实完整,由于样品与委托信息的真实性所带来的法律责任和其他后果均由委托单位自行承担。

The certification does not involve ingredient analysis of the sample. It is the client's responsibility to guarantee that samples provided for appraisal are consistent with the goods to be transported and that relevant information and documents (eg: information on ingredients) submitted are authentic and complete. Otherwise, the client shall bear any legal liability and other possible consequence arising from the authenticity of samples and information provided.

6. 本鉴定书的鉴定结论仅适用于最终收到的样品。

The conclusion of this certification only applies to the final sample as received.

7. 本鉴定书当年有效,铁路运输方式除外。特殊情况参见鉴定书备注。

The certification is valid in the year subscribed on it except when transported by rail. Please refer to the comment of certification on special occasion.

8. 本鉴定书不考虑国家及经营人差异。

The certification takes no account of the State and Operator Variations.

9. 货物的运输方式应与鉴定结论中的运输方式相一致。不同的运输方式,鉴定结果可能会有差异。

The transportation mode of the goods shall be consistent with that in the appraisal conclusion. Different transportation modes may lead to different appraisal results.

- 10. 鉴定书真伪性可登入本公司网站 www.ghs.cn 或扫描鉴定书中二维码进行查询。 The authenticity of the certification can be verified by our website(www.ghs.cn)or the QR code in the certification.
- 11. 送检申请可登入本公司网站 www.ghs.cn 进行网上委托。

The application of the certification can be done via our website: www.ghs.cn.

地址:上海市光复西路2779号接待大厅

Address: Reception Hall, Shanghai Institute of Chemical Industry Co., Ltd, No.2779 West Guangfu Road, Shanghai, China.

邮编(Post code): 200062 电话(Tel):(008621)31765555 邮箱(Email): center@ghs.cn 网址(Website): www.ghs.cn

Page 1/3

# 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212300563898703

样品								
样品		中文	锂离子电池组 IIC-149	24V 10Ah 240Wh				
	夕松	Chinese						
55076	е Name	Office						
Jampi	o ivallie	英文	Li-ion Battery Pack HC-149 24V 10Ah 240Wh					
		594.24000 to 10.454						
		English						
	委托单位		金华市恒创新能源有限公司					
Consignor		Jinhua Hengchuang New Energy Co., LTD						
	生产单位		金华市恒创新能源有限公司					
	Manufacturer		Jinhua Hengchuang New Energy Co., LTD					
检验方法、程序				国际航空运输协会《危险品规则》64版				
Inspection method and procedure			IATA Dangerous Good	s Regulations (DGR) 64th	Edition			
样品外观			黑色塑胶外壳					
Sample appearance			Black Plastics ceme	nt shell				
	包装件		1	48.4016.811				
Pa		formation						
序号	1	电池种类	型号	容量Capacity	放置方式	单颗重量kg	数量	
NO.		attery type	Model	/锂含量Li content	Placement	Unit weight	Quantity	
1		e锂离子电池组	HC-149	10Ah 240Wh	电池单独运输	1.43	10	
		geable Li-ion battery			Battery only			
		项。						
	100000	scellaneous.						
	Mi							
鉴	Mi	scellaneous.	航空运输协会《危险	金品规则》办理的类项(S	Suggestion accord	ing to IATA	DGR)	
	Mi	scellaneous. 空运按照国际 ipping name:Lit	hium ion batteries	佥品规则》办理的类项(S	Suggestion accord	ing to IATA	DGR)	
鉴定	Mi	scellaneous. 空运按照国际 ipping name:Lit ass or division	hium ion batteries	金品规则》办理的类项(S	Suggestion accord	ing to IATA	DGR)	
	Mi	scellaneous. 空运按照国际 ipping name:Lit	hium ion batteries	佥品规则》办理的类项(S	Suggestion accord	ing to IATA	DGR)	
定	I DENTI FI CATI ON	scellaneous. 空运按照国际 ipping name:Lit ass or division	hium ion batteries	金品规则》办理的类项(S	Suggestion accord	ing to IATA	DGR)	
	I DENTI FI CATI ON	空运按照国际 ipping name:Lit ass or divisior Number:UN3480	chium ion batteries n:9		Suggestion accord	ing to IATA	DGR)	
定结	I DENTI FI CATI ON	空运按照国际 ipping name:Lit ass or division Number:UN3480	chium ion batteries n:9 kaging requiremen		Suggestion accord	ing to IATA	DGR)	
定	I DENTI FI CATI ON	空运按照国际 ipping name:Lit ass or division Number:UN3480 包装要求(Pac 包装说明965第1A	chium ion batteries n:9 kaging requiremen 心部分要求办理。	nts)		ing to IATA	DGR)	
定结	I DENTI FI CATI ON CONCL US	空运按照国际 ipping name:Lit ass or division Number:UN3480 包装要求(Pac 包装说明965第1A	chium ion batteries n:9 kaging requiremen 心部分要求办理。			ing to IATA	DGR)	
定结	I DENTI FI CATI ON CONCL USI ON X 按Th 仅	空运按照国际 ipping name:Lit ass or division Number:UN3480 包装要求(Pac 包装说明965第1A e goods are pac	chium ion batteries n:9 kaging requiremen a部分要求办理。 kaged according to t	nts)		ing to IATA	DGR)	
定结	I DENTI FI CATI ON CONCL USI ON X 按Th 仅	空运按照国际 ipping name:Lit ass or divisior Number:UN3480 包装要求(Pac 包装说明965第1A e goods are pac	chium ion batteries n:9 kaging requiremen a部分要求办理。 kaged according to t	nts)		ing to IATA	DGR)	
定结	I DENTI FI CATI ON CONCL USI ON X 按Th 仅	空运按照国际 ipping name:Lit ass or division Number:UN3480 包装要求(Pac 包装说明965第1Ae goods are pac 限货机 rgo Aircraft On	kaging requiremen 部分要求办理。 kaged according to t	its) the Packaging Instruction	965 section A.	ing to IATA	DGR)	
定结论	I DENTI FI CATI ON CONCL USI ON Ca	空运按照国际 ipping name:Lit ass or division Number:UN3480 包装要求(Pac 包装说明965第1A e goods are pac	kaging requiremen 部分要求办理。 kaged according to t	nts)  the Packaging Instruction  日期: 2023-02-22		ing to IATA	DGR)	
定结论	I DENTI FI CATI ON CONCL USI ON Ca	空运按照国际 ipping name:Lit ass or division Number:UN3480 包装要求(Pace 包装说明965第1Ae goods are pace 限货机 rgo Aircraft On 检验日期:	kaging requiremen 部分要求办理。 kaged according to t	nts) the Packaging Instruction 年期: 2023-02-22	965 section A.X	ing to IATA	DGR)	
定结论	I DENTI FI CATI ON CONCL USI ON  (Ca	空运按照国际 ipping name:Lit ass or division Number:UN3480 包装要求(Pace 包装说明965第1Ae goods are pace 限货机 rgo Aircraft On 检验日期:	kaging requiremen 部分要求办理。 kaged according to t	nts) the Packaging Instruction 年期: 2023-02-22	965 section A.X	ing to IATA	DGR)	
定结论	I DENTI FI CATI ON CONCL USI ON  a 按Th 仅Ca	空运按照国际 ipping name:Lit ass or division Number:UN3480 包装要求(Pace 包装说明965第1Ae goods are pace 限货机 rgo Aircraft On 检验日期:	kaging requiremen 部分要求办理。 kaged according to t	nts) the Packaging Instruction 年期: 2023-02-22	965 section A.X	ing to IATA	DGR)	

和准 之 第 批准

审核 Checker:

主检 Appraiser: 品情



NO. 212300563898703


Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
	本报告所述锂电池按照《危险品规则》(64版) 3.9.2.6.1(e)规定的质量管理体系进行制造。 本报告所述锂电池不属于因安全原因召回的锂电池。 本报告所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 64th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.
2	本报告所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part 111, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812100000762169 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information. 锂电池必须完全封装在内包装内,位于坚固的外包装中。完成包装件必须满足口级包装的性能要求。 Lithium cells and batteries must be packed in inner packagings that completely enclose the cell or battery and placed in
3	a strong outer packaging. The completed package must meet the Packing Group II performance requirements.  电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
1	
5	每个包装件必须使用9类锂电池危险性标签(DGR图7.3.X)。 每个包装件必须贴有"仅限货机"标签(DGR图7.4.B)。 Each package must be labelled with the Class 9-Lithium Battery hazard label(Figure 7.3.X in IATA DGR). Each package must be labelled with the "Cargo Aircraft Only" label(Figure 7.4.B in IATA DGR).
6	根据委托单位声明,本报告所述锂离子电池交付运输时,其荷电状态必须不超过额定容量的30%。 According to the statement of the consignor, lithium ion cells and batteries listed in this report must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.
7	电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).
1 -	

## 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

Page 3/3



Product Name:Li-ion
Battery Pack
Model:HC-149
Capacity
Voltage:24V10Ah
Wah:240WW

\*\*\*报告结束\*\*\*

